



FIG. 1

660E20'E28E9E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

2/11


FIG. 2



09363823 073099

3/11

L : 1/360 OF AN INCH



L : 1/360 OF AN INCH




FIG. 3A


FIG. 3B

660720" E28E9E60

5/11


650E20" 628E9E60

FIG. 5



660E20" E28E3E50

FIG. 6



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

9/11

TRANSFER-SOURCE DATA

ADDRESS	DATA		
SA	D15	R1	D0
SA+H	D15	R2	D0
SA+2H	D15	R3	D0
SA+3H	D15	R4	D0
SA+4H	D15	R5	D0
SA+5H	D15	R6	D0
SA+6H	D15	R7	D0
SA+7H	D15	R8	D0

FIG. 9A

TRANSFER-DESTINATION DATA


ADDRESS	DA	DA+1	DA+2	DA+3	DA+4	DA+5	DA+6	DA+7	DA+8	DA+9	DA+10	DA+11	DA+12	DA+13	DA+14	DA+15
	D15	D7	D15	D7	D15	D7	D15	D7	D15	D7	D15	D7	D15	D7	D15	D7
DATA	C1		C2		C3		C4		C5		C6		C7		C8	
	D8	D0	D8	D0	D8	D0	D8	D0	D8	D0	D8	D0	D8	D0	D8	D0

FIG. 9B

03333-07309
660E20-E28E9E60

660E20" E22E9E60

FIG. 10



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

11/11

660E20'E28E9EE0

FIG. 11

